








# Temporary energy, cooling, heating, oil-free air and power solutions






## Power Generation and Energy Equipment

 <p><b>Diesel Generators</b></p> <p>From 25 kW to 2000 kW</p>	 <p><b>Low-emissions Tier 4F Generators</b></p> <p>From 25 kW to 1200 kW</p>	 <p><b>Natural Gas Generators</b></p> <p>From 200 kW to 1500 kW</p>	 <p><b>Energy Storage</b></p> <p>From 24 kW to 1 MW batteries</p>	 <p><b>350 kW Gas Generator</b></p> <p>350 kW continuous power output with a reconfigurable voltage range of 480/277 V</p>
 <p><b>Fuel Flex 400 kW Gas Generator</b></p> <p>379 kW continuous rating</p>	 <p><b>1300 kW Rapid Deploy Gas Generator</b></p> <p>1300 kW continuous power at a choice of 15 kV, 5 kV, or 480 kV</p>	 <p><b>1500 kW Gas Generator</b></p> <p>1489 kW continuous power output</p>	 <p><b>1500 kW Rapid Deploy Gas Generator</b></p> <p>1483 kW continuous power output with a voltage range of 13800 V</p>	 <p><b>Fuel Tanks</b></p> <p>250 – 5000 gallon fuel tanks</p>

## Cooling

 <p><b>Chillers</b></p> <p>From 10 to 1000 tons</p>	 <p><b>Cooling Towers</b></p> <p>From 200 to 1000 tons</p>	 <p><b>Air Conditioners</b></p> <p>From 1 to 70 tons</p>	 <p><b>Air Handlers</b></p> <p>From 10 to 140 tons</p>	 <p><b>Spot Coolers</b></p> <p>From 1 to 5 tons</p>
--	---	---	---	--

## Heating and Dehumidification

 <p><b>Electric Heaters</b></p> <p>From 171,000 to 512,000 BTU/HR</p>	 <p><b>Indirect Heaters</b></p> <p>From 500,000 to 1.5 M BTU/HR</p>	 <p><b>Hydronic Heaters and Boilers</b></p> <p>From 900,000 to 2.0 M BTU/HR</p>	 <p><b>Dehumidifiers</b></p> <p>Desiccant with capabilities From 1000 to 15,000 cfm</p>	 <p><b>Pumps, Accessories, Hoses, Valves, Ducts</b></p> <p>From 100 to 5,500 gpm</p>
--	--	--	---	---

## Industrial Heat Exchangers

 <p><b>Heat Exchangers</b></p> <p>From 500 to 5700 ft<sup>2</sup></p>	 <p><b>Plate/Frame Heat Exchangers</b></p> <p>From 500 to 2000 ft<sup>2</sup></p>	 <p><b>Food Grade Heat Exchangers</b></p> <p>From 600 to 1600 ft<sup>2</sup></p>	 <p><b>Large Node Heat Exchangers</b></p> <p>From 5100 to 5700 ft<sup>2</sup></p>	 <p><b>Hastelloy-C Cross-Flow Heat Exchanger</b></p> <p>1500 ft<sup>2</sup></p>
--	--	---	---	--










## Oil-Free Compressed Air

 <p><b>100% Oil-Free Diesel Air</b></p> <p>From 1500 cfm and 1600 cfm, at max pressure of 150 psi</p>	 <p><b>100% Oil-Free Electric</b></p> <p>400 cfm, 800 cfm, 1500 cfm and 1600 cfm, at max pressure of 150 psi</p>	 <p><b>Desiccant Dryers</b></p> <p>From 1000 to 15000 cfm</p>	 <p><b>Accessories:</b> hoses, fittings, manifolds, auxiliary fuel tanks, air receivers, pressure regulators, electric boosters</p>
--	---	---	--

## Load Banks

 <p><b>Resistive</b></p> <p>From 100 kW to 5 MW</p>	 <p><b>Resistive / Reactive</b></p> <p>From 240 kW – 6250 kW</p>	 <p><b>Capacitive</b></p> <p>2000 kVAR</p>	 <p><b>Direct Current (DC)</b></p> <p>From 28 VDC to 700 VDC</p>	 <p><b>Liquid-cooled Load Bank</b></p> <p>Up to 500 kW</p>
---	--	--	--	--

## Electrical Distribution

 <p><b>Transformers</b></p> <p>Dry: 15 kVA – 5000 kVA Oil Filled: 300 kVA – 10 MVA</p>	 <p><b>I-line Panels</b></p> <p>From 225 – +6000 Amps</p>	 <p><b>Mill Panels / Low Voltage Distro Pack</b></p> <p>30 kVA 480 V to 208 /120 V, 3-Phase</p>	 <p><b>Breakers</b></p> <p>LV breakers, MV and Multi-gang breakers</p>	 <p><b>Starters</b></p> <p>Low voltage, medium voltage and soft starters</p>
 <p><b>Switches</b> (Fused, Manual, &amp; Automatic)</p> <p>LV: 100 – 4000 Amps / 208 – 600 V MV: 600 &amp; 1200 Amps, 5 – 38 kV</p>	 <p><b>Motor Control Centers</b></p> <p>Size 00 – 6 starters, breaker or fused disc. style</p>	 <p><b>Variable Frequency Drives (VFDs)</b></p> <p>40 HP – 900 HP</p>	 <p><b>Common Buss Cabinets</b></p> <p>LV: up to 10,000 Amps MV: up to 8000 Amps</p>	<p><b>Cable</b></p> <p>LV: up to #4/0, type W HV: up to #4/0, type SH (shielded) HV available in various lengths</p> <p><b>Special Occupancy Gear LV</b></p> <p>Class 1, Div 1 &amp; 2, Grp B, C, D. Some gear available in NEMA 7. Some gear utilizes purge systems.</p>