

Request for Vendor Contract Update

Pursuant to the terms of your awarded vendor contract, all vendors must notify and receive approval from Region 4/OMNIA Partners, Public Sector when there is an update in the contract. No request will be officially approved without the prior authorization of Region 4. Region 4 reserves the right to accept or reject any request.

Fastenal Company	hereby provides notice of the following update to
(Vendor Name)	
Contract number: #R192001	for MRO Equipment, Supplies & Related Items/Serviceson
this date August 13, 2020	
	Contract Title
Instructions: Vendors must check all that	t may apply and shall provide supporting documentation. Place your initials
next to each item to confirm that docume	ents are indeed included. Request received without supporting documentation
will be returned. Be sure to sign prior to	submitting your update for approval. This form is not intended for use if
there is a material change in operations,	which may adversely affect members, i.e. assignment, bankruptcy, change
of ownership, merger, etc. Please contac	t a member of the OMNIA Partners Contracting Team to request a "Notice
of Material Change to Vendor Contract"	form.
X Authorized Distributors/Dealers	Price Update
XAddition	Supporting Documentation
Deletion	
Supporting Documentation	
	☐ Discontinued Products/Services
☐ Products/Services	Supporting Documentation
New Addition	Supporting Documentation
Update Only	
Supporting Documentation	
_	☐ Other
	Supporting Documentation
Supporting Documentation	supporting Documentation
Notes: Vendor may include other notes re	egarding the contract update here: (attach another page if necessary).
astenal requests that	be added to our Omnia Region 4 Contract as a reseller.
Submitted By: <u>Zach Wise</u>	Approved Date <u>08/13/2020</u>
Submitted by: <u>Zuch wisc</u>	
Title: Government Sales Manager	Denied Date
Contact Number: <u>507-313-7206</u>	— DoouSigned by
	DocuSigned by:
Email Address: <u>zwise@fastenal.com</u>	Region 4 ESC: Robert Gingelmann
	AB11C26E709E4C4