

**Fellowes**



**FlexCharge™ Series**  
Power Solutions

*┌ The FlexCharge series puts power within reach for any type of workspace—whether it is an individual desk, benching environment, collaborative area, or conference room. FlexCharge power solutions include both USB and AC outlets so users can conveniently charge any device. └*





### **FlexCharge™3** *Personal desktop power*

- (1) One AC outlet: 15A, 125V, 60Hz
- (2) Two quick-charge USB outlets 3.1A, 5V
- Mounted with a desk clamp
- Meets spill-protection criteria
- 8.0' power cord
- UL and cUL listed
- Available in black and white



### **FlexCharge™4C** *Personal desktop power*

- (1) One quick-charge USB-A port: 3A, 5V
- (1) One quick-charge USB-C port: 3.1A, 5V
- Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- Meets spill-protection criteria
- UL and cUL listed
- 8.0' power cord
- Indicator light illuminates when built-in surgeprotection is active
- Available in black and white



### **FlexCharge™3C** *Personal desktop power*

- (1) One AC outlet: 15A, 125V, 60Hz
- (1) One quick-charge USB-A port: 2.4A, 5V
- (1) One quick-charge USB-C port: 5V/3A 9V/3A 12V/2.5A 15V/2.0A 20V/1.5A (PD3.0)
- (device dependent)
- Mounts with a desk clamp
- Meets spill-protection criteria
- 9.0' Power Cord
- UL and cUL listed
- Available in black and white



### **FlexCharge™4CX** *Power Module*

- (2) Two AC outlets- 15A, 125V, 60Hz
- (1) One quick-charge USB-A port- 3A, 5V
- (1) One quick-charge USB-C port- 3A, 5V
- Power strip: six AC outlets
- Power module: Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- Power strip: mounts below the worksurface
- Meets spill-protection criteria
- UL and cUL listed
- 8.0' power cord (black)
- 28.5" connection cord (color matched to power module)
- Indicator light illuminates when built-in surge protection is active
- Available in black and white



### **FlexCharge™4** *Personal desktop power*

- (2) Two AC outlets: 15A, 125V, 60Hz
- (2) Two quick-charge USB outlets
- Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- Meets spill-protection criteria
- UL and cUL listed
- 8.0' power cord
- Indicator light illuminates when built-in surge protection is active
- Available in black and white



### **FlexCharge™Hub** *Desktop charging station*

- Available for the following monitor arm series:
  - Edge, Evolve and Sena Monitor Arms (ES), Kata (K1), Kata2 (K2)
- Qi wireless charging pad, 5V-2A (10W Coil)
- Two fast charging USB ports:
  - (1) USB-A (5V-2.4A charging speed)
  - (1) USB-C (5V-2A charging speed)
- Power Consumption:
  - Max power output: 44W
- Power insert:
  - AC Input - 120V
  - DC Output - 12V, 3A
- Built-in surge protection
- UL & cUL Listed
- Colors: Silver, Black, White
- 6' power cord
- ES includes multiple top covers included to best fit users' monitor arm configuration